

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	149	(input socket).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 22:06
L2	10	(network application processor).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 22:07
L3	0	l2 and l1	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 22:07
L4	13	aligning operands.clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 22:07
L5	1	l1 and l4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 22:07
L6	31085	data structure\$1.clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 22:08
L7	1	l1 and l6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 22:08
S1	1	"5822559".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/06/04 04:41
S2	1	"20050099841".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/06/04 04:44
S3	748	input socket	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:36

S4	964	output socket	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:36
S5	40	"I1" and S4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:36
S6	233	S3 and S4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:36
S7	898	align\$4 near3 operand \$1	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:37
S8	4	S6 and S7	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:37
S9	692	cycle and S7	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:37
S10	821	single cycle with access	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:37
S11	1522	one cycle with access	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:37
S12	4	S3 and S10	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:37
S13	34	S9 and S11	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2008/12/23 22:38
S14	1	"7320013" .pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 05:47

S15	21	("20020064170" "3747070" "4542476" "5268855" "5721841" "5726926" "5771183" "5790444" "5822559" "5844828" "5926475" "5978822" "6044061" "6064649" "6072772" "6115729" "6195739" "6311199" "6330236" "6557096" "6564238").PN. OR ("7320013").URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/08/17 05:48
S16	1	"20050099841"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:35
S17	3	"6065034"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:37
S18	2	"7370184"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:53
S19	173	operand alignment	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:54
S20	8	S19 same lsb	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:54
S21	6	S19 same least significant	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:57
S22	0	S19 same resize	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:58
S23	0	operand resizing same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:58

S24	0	operand with resizing same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:58
S25	0	operand with resiz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:58
S26	0	operand\$1 with resiz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:59
S27	0	operand\$1 same resiz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:59
S28	3	operand\$1 same resiz \$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:59
S29	478	operand\$1 same siz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 06:59
S30	478	operand\$1 same siz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:00
S31	143	operand\$1 with siz\$6 with align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:01
S32	72	operand\$1 with different sizes	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:02
S33	0	operand\$1 with different sizes same extend	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:04
S34	0	(operand\$1 with different sizes) same extention	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:04
S35	14	(operand\$1 with different sizes) same extended	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:05

S36	2134	sign extended	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:07
S37	7	sign extention	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:07
S38	1902	sign extension	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:07
S39	3073	S36 or S38	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:07
S40	1442	S39 and sizes	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:08
S41	203	S39 and operand\$1 with sizes	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:08
S42	16	variable width operands	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:09
S43	404	least significant bit with align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:50
S44	43	least significant bit with align\$6 same operand \$1	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2009/08/17 07:50
S45	21	("20020064170" "3747070" "4542476" "5268855" "5721841" "5726926" "5771183" "5790444" "5822559" "5844828" "5926475" "5978822" "6044061" "6064649" "6072772" "6115729" "6195739" "6311199" "6330236" "6557096" "6564238").PN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/08/17 07:52

S46	285	mrom and "712".clas.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/08/17 08:47
S47	292	"Advanced Micro Devices" and Mrom	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/08/17 08:50
S48	0	EP0685789	US-PGPUB; USPAT; USOCR; EPO	ADJ	OFF	2009/08/17 10:13
S49	2	"0685789"	US-PGPUB; USPAT; USOCR; EPO	ADJ	OFF	2009/08/17 10:13
S50	1	network\$4 near2 stack near2 pipeline	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 13:33
S51	17	network\$4 near2 stack same pipeline	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 13:35
S52	70	hardware near2 network\$4 near2 stack	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 13:45
S53	1674	370/469.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 13:51
S54	58	S53 and pipeline	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 13:51
S55	1	"7130312".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 13:54
S56	1	"6654823".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 13:56
S57	1	"5822559".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S58	1	"20050099841".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36

S59	845	input socket	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S60	1038	output socket	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S61	46	"I1" and S60	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S62	260	S59 and S60	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S63	991	align\$4 near3 operand \$1	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S64	5	S62 and S63	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S65	750	cycle and S63	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S66	887	single cycle with access	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S67	1629	one cycle with access	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S68	5	S59 and S66	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S69	34	S65 and S67	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S70	1	"7320013" .pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36

S71	21	("20020064170" "3747070" "4542476" "5268855" "5721841" "5726926" "5771183" "5790444" "5822559" "5844828" "5926475" "5978822" "6044061" "6064649" "6072772" "6115729" "6195739" "6311199" "6330236" "6557096" "6564238").PN. OR ("7320013").URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2010/02/25 19:36
S72	1	"20050099841"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S73	3	"6065034"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S74	2	"7370184"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S75	178	operand alignment	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S76	8	S75 same lsb	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S77	6	S75 same least significant	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S78	0	S75 same resize	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S79	0	operand resizing same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36

S80	0	operand with resizing same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S81	0	operand with resiz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S82	0	operand\$1 with resiz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S83	0	operand\$1 sameresiz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S84	3	operand\$1 same resiz \$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S85	498	operand\$1 same siz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S86	498	operand\$1 same siz\$6 same align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S87	149	operand\$1 with siz\$6 with align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S88	73	operand\$1 with different sizes	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S89	0	operand\$1 with different sizes same extend	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S90	0	(operand\$1 with different sizes) same extention	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S91	14	(operand\$1 with different sizes) same extended	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36

S92	2213	sign extended	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S93	7	sign extention	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S94	1959	sign extension	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S95	3180	S92 or S94	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S96	1496	S95 and sizes	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S97	208	S95 and operand\$1 with sizes	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S98	16	variable width operands	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S99	412	least significant bit with align\$6	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S100	43	least significant bit with align\$6 same operand \$1	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S101	21	{"20020064170" "3747070" "4542476" "5268855" "5721841" "5726926" "5771183" "5790444" "5822559" "5844828" "5926475" "5978822" "6044061" "6064649" "6072772" "6115729" "6195739" "6311199" "6330236" "6557096" "6564238").PN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2010/02/25 19:36

S102	286	mrom and "712".clas.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2010/02/25 19:36
S103	297	"Advanced Micro Devices" and Mrom	US-PGPUB; USPAT; USOCR	ADJ	OFF	2010/02/25 19:36
S104	0	EP0685789	US-PGPUB; USPAT; USOCR; EPO	ADJ	OFF	2010/02/25 19:36
S105	2	"0685789"	US-PGPUB; USPAT; USOCR; EPO	ADJ	OFF	2010/02/25 19:36
S106	1	network\$4 near2 stack near2 pipeline	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S107	17	network\$4 near2 stack same pipeline	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S108	70	hardware near2 network\$4 near2 stack	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S109	1674	370/469.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S110	58	S109 and pipeline	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S111	1	"7130312".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S112	1	"6654823".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:36
S113	78	"2 stage pipeline"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:40
S114	1	"6243291".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/02/25 19:46

SI 15	1	"5,822,559".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/11/06 02:22
-------	---	-----------------	--	-----	-----	---------------------

EAST Search History (Interference)

< This search history is empty >

11/ 6/ 2010 10:08:31 PM**C:\ Documents and Settings\ jmol\ My Documents\ EAST\ Workspaces\ 726470.wsp**